General Index

A

Abastor erythrogrammus, 203 Acer spp., 153 Adrenal hypertrophy, deer, 84, 85, 94 Aerobacter aerogenes, 39 African pompano, 211 Age and growth, fish, 103 Aging method, black duck, 128 fish, scale samples, 103-9 deer, tooth wear, 80 Air-water temperature relationship, 8 Aix sponsa, 153 Alectis cilaris, 115 Alectis crinitis, 115, 211 Alewife herring, 46-7, 100-1 Alosa aestivalis, 96, 100-2 Alosa pseudoharengus, 96, 100-2 Alosa sapidissima, 96, 97-100, 200, 201 Alutera schoepfi, 212 Amaroucium constellatum, 197, 199 Amaroucium pellucidium, 199 Amaroucium stellatum, 199 Ambystoma maculatum, 119-20 American eel, 46, 60 American shad, 46, 96–101, 200, 201 Amphidinium, 196 Amyda ferox spinifera, 72 Amyda spinifera spinifera, 72 Anas discors, 152 Anas rubripes, 127, 152 Anas rubripes, 127, 152 Anas strepera, 152 Anchoa mitchilli, 118 Anchovy, bay, 118 Anchovy, northern, 106 Angel shark, Atlantic, 210 Angling pressure, 22, 28, 41, 46, 74-5 Anguilla rostrata, 60, 70 Arbacia punctulata, 196 Ardea herodias, 152 Artemia salina, 169, 196 Arteriosclerosis, deer, 87 Arve, J., Preliminary report on attracting fish by oyster-shell plantings in Chincoteague plantings in Bay, Maryland, 58-65 Ascidian, abundance and ecology, 197 - 9range, 197, 199 habitat, 197 Aspidonectes spinfer, 72 Asterias forbesi, 73-4 Astroscopus guttatus, 211 Atlantic angel shark, 210 Atlantic croaker, 70, 74, 118, 297 Atlantic menhaden, 60, 77, 97, 118 Atlantic moonfish, 211 Atlantic Ocean, 155-67

Atlantic salmon, 106

Atlantic thread herring, 210

Baccharis halmifolia, 153 Bacteriological tests, soft-shelled clam, 36-40 clostridia, 36-40 E. coli test, 39 false positives, 40 indicator organisms, 39, 40 M.P.N. (most probable number) techniques seasonal changes in bacterial counts, 40 sporeformers, and canned products, 40 stormy fermenters, 36-40 Banding, black duck, 128, 129, 137, 138 Barasingha deer, 94 Barley, 141 Barnacle, 116 Barnacle-turtle association, 116 Bass, black sea, 58-65 Bass, channel, 207-9 Bass, largemouth, 41, 46 Bass, smallmouth, 46, 72, 105-6 s, striped, 46, 70, 74–5, 106, 111–3, 211, 213 Bay anchovy, 118 Bay marsh, 142
Beaven, G. F., Temperature and
salinity of surface water at Solomons, Maryland, 2-11 Bigeye scad, 211 Blacks Blackberry, 141

Blackberry, 141
Black crappies, 46
Black duck, 127-54
breeding behavior, 131-8
cloacal aging method, 128
clutches, 129, 133, 145, 146
courtship, 132, 133
cover, 130, 140
egg laying, 129
hatching data, 144
incubation, 136, 144, 146, 147, 148
marking, 128, 129, 137, 138
nest construction, 141, 142
nest destruction, 150, 151

nests, 128, 133, 137, 141, 142, 143, 148, 149, 150
pairing, 131, 132, 133, 134, 135
predation, 150, 151
production, 151, 152
renesting, 137–8
territorial behavior, 133–5
Black locust, 130
Black racer, 148, 152

Black sea bass, 58–64 Black snake, 148 Blue crab, 71, 110, 175, 196–7 megalops, 110 rearing, 196, 197 zoeae, 196–7

Blue crab rearing, 196, 197 antibiotic dyes, use of in, 196

Chloromycetin, use of in, 196 food tests, 196 malachite green, use of in, 196 Penicillin G., use of in, 196 survival rate, 196, 197 Terramycin HCL, use of in, 196 Victoria blue R, use of in, 196 Bluefish, 60 Bluegill, 46, 104 Blue runner, 211 Blue-winged teal, 133 Boat patrols, duck, 128 Bob-white quail, 146 Body weight, length, girth relationship, toadfish, 122-3 Branchiostoma caribaeum, 210 Breeding behavior, black duck, 131-8 Breton Bay, 201 Brevoortia patronus, 70 Brevoortia tyrannus, 60, 70, 77, 97. 118 Brown shark, 204 Brown trout, 106 Bullhead, yellow, 46 Bullnose ray, 210 Bull shark, 68-71, 211 Burrfish, striped, 212 Butterfish, 60 Butterflyfish, spotfin, 60

Aureomycin, use of in, 196

C

Callinectes sapidus, 71, 110, 175, 196-7
Campsis radicans, 153
Cape Charles, 165
Cape God, 197
Cape Henry, 159, 163, 165
Carangid fishes, 115
Caranx crysos, 115, 211
Caranx hippos, 115-6
Caranx latus, 115
Carcharhinus leucas, 68-71, 206, 211
Carcharhinus milberti, 204, 205
Carcharhinus springeri, 206
Caretta caretta, 116

Cargo, D. G., A megalops of the blue crab, Callinectes sapidus, in the Patuxent River, Maryland, 110

Cargo, D. G., Predation of eggs of the spotted salamander, Ambystoma maculatum, by the leech, Macrobdella decora, 119-20

Cargo, D. G. (with F. J. Schwartz), Recent records of the xanthid crab, Panopeus herbsti, from Maryland and Virginia waters, 201-3
Carlson, F. (with J. D. Rust),

Carlson, F. (with J. D. Rust), Some observations on rearing blue crab larvae, 196-7

Carp, 46

General Index

A

Abastor erythrogrammus, 203 Acer spp., 153 Adrenal hypertrophy, deer, 84, 85, 94 Aerobacter aerogenes, 39 African pompano, 211 Age and growth, fish, 103 Aging method, black duck, 128 fish, scale samples, 103-9 deer, tooth wear, 80 Air-water temperature relationship, 8 Aix sponsa, 153 Alectis cilaris, 115 Alectis crinitis, 115, 211 Alewife herring, 46-7, 100-1 Alosa aestivalis, 96, 100-2 Alosa pseudoharengus, 96, 100-2 Alosa sapidissima, 96, 97-100, 200, 201 Alutera schoepfi, 212 Amaroucium constellatum, 197, 199 Amaroucium pellucidium, 199 Amaroucium stellatum, 199 Ambystoma maculatum, 119-20 American eel, 46, 60 American shad, 46, 96–101, 200, 201 Amphidinium, 196 Amyda ferox spinifera, 72 Amyda spinifera spinifera, 72 Anas discors, 152 Anas rubripes, 127, 152 Anas rubripes, 127, 152 Anas strepera, 152 Anchoa mitchilli, 118 Anchovy, bay, 118 Anchovy, northern, 106 Angel shark, Atlantic, 210 Angling pressure, 22, 28, 41, 46, 74-5 Anguilla rostrata, 60, 70 Arbacia punctulata, 196 Ardea herodias, 152 Artemia salina, 169, 196 Arteriosclerosis, deer, 87 Arve, J., Preliminary report on attracting fish by oyster-shell plantings in Chincoteague plantings in Bay, Maryland, 58-65 Ascidian, abundance and ecology, 197 - 9range, 197, 199 habitat, 197 Aspidonectes spinfer, 72 Asterias forbesi, 73-4 Astroscopus guttatus, 211 Atlantic angel shark, 210 Atlantic croaker, 70, 74, 118, 297 Atlantic menhaden, 60, 77, 97, 118 Atlantic moonfish, 211 Atlantic Ocean, 155-67

Atlantic salmon, 106

Atlantic thread herring, 210

Baccharis halmifolia, 153 Bacteriological tests, soft-shelled clam, 36-40 clostridia, 36-40 E. coli test, 39 false positives, 40 indicator organisms, 39, 40 M.P.N. (most probable number) techniques seasonal changes in bacterial counts, 40 sporeformers, and canned products, 40 stormy fermenters, 36-40 Banding, black duck, 128, 129, 137, 138 Barasingha deer, 94 Barley, 141 Barnacle, 116 Barnacle-turtle association, 116 Bass, black sea, 58-65 Bass, channel, 207-9 Bass, largemouth, 41, 46 Bass, smallmouth, 46, 72, 105-6 s, striped, 46, 70, 74–5, 106, 111–3, 211, 213 Bay anchovy, 118 Bay marsh, 142
Beaven, G. F., Temperature and
salinity of surface water at Solomons, Maryland, 2-11 Bigeye scad, 211 Blacks Blackberry, 141

Blackberry, 141
Black crappies, 46
Black duck, 127-54
breeding behavior, 131-8
cloacal aging method, 128
clutches, 129, 133, 145, 146
courtship, 132, 133
cover, 130, 140
egg laying, 129
hatching data, 144
incubation, 136, 144, 146, 147, 148
marking, 128, 129, 137, 138
nest construction, 141, 142
nest destruction, 150, 151

nests, 128, 133, 137, 141, 142, 143, 148, 149, 150
pairing, 131, 132, 133, 134, 135
predation, 150, 151
production, 151, 152
renesting, 137–8
territorial behavior, 133–5
Black locust, 130
Black racer, 148, 152

Black sea bass, 58–64 Black snake, 148 Blue crab, 71, 110, 175, 196–7 megalops, 110 rearing, 196, 197 zoeae, 196–7

Blue crab rearing, 196, 197 antibiotic dyes, use of in, 196

Chloromycetin, use of in, 196 food tests, 196 malachite green, use of in, 196 Penicillin G., use of in, 196 survival rate, 196, 197 Terramycin HCL, use of in, 196 Victoria blue R, use of in, 196 Bluefish, 60 Bluegill, 46, 104 Blue runner, 211 Blue-winged teal, 133 Boat patrols, duck, 128 Bob-white quail, 146 Body weight, length, girth relationship, toadfish, 122-3 Branchiostoma caribaeum, 210 Breeding behavior, black duck, 131-8 Breton Bay, 201 Brevoortia patronus, 70 Brevoortia tyrannus, 60, 70, 77, 97. 118 Brown shark, 204 Brown trout, 106 Bullhead, yellow, 46 Bullnose ray, 210 Bull shark, 68-71, 211 Burrfish, striped, 212 Butterfish, 60 Butterflyfish, spotfin, 60

Aureomycin, use of in, 196

C

Callinectes sapidus, 71, 110, 175, 196-7
Campsis radicans, 153
Cape Charles, 165
Cape God, 197
Cape Henry, 159, 163, 165
Carangid fishes, 115
Caranx crysos, 115, 211
Caranx hippos, 115-6
Caranx latus, 115
Carcharhinus leucas, 68-71, 206, 211
Carcharhinus milberti, 204, 205
Carcharhinus springeri, 206
Caretta caretta, 116

Cargo, D. G., A megalops of the blue crab, Callinectes sapidus, in the Patuxent River, Maryland, 110

Cargo, D. G., Predation of eggs of the spotted salamander, Ambystoma maculatum, by the leech, Macrobdella decora, 119-20

Cargo, D. G. (with F. J. Schwartz), Recent records of the xanthid crab, Panopeus herbsti, from Maryland and Virginia waters, 201-3
Carlson, F. (with J. D. Rust),

Carlson, F. (with J. D. Rust), Some observations on rearing blue crab larvae, 196-7

Carp, 46

Carteria, 196 Castagna, M. (with F. J. Schwartz and G. Griffith), Comments on the abundance and ecology of the ascidian Amaroucium constellatum in Sinepuxent and Chincoteague Bays, 197-9 Catch per unit effort, 46, 75 Catch probability, gillnets, 97-101 Catfish, channel, 46 Catfish, white, 46 Cedar, 140, 152 Centropristes striatus, 58, 60, 64 Cervus nippon, 79–102 Chaetodipterus faber, 123–4 Chaetodon ocellatus, 60 Chain pickerel, 46 Channel bass, 207 Channel catfish, 46 Chelonia mydas mydas, 116 Chesapeake Bay, 5-7, 21-35, 68-71, 127, 161-3, 178-86, 188, 200, 204, 206
CBL (Chesapeake Biological Laboratory) pier, 7
Drum Point harbor, 7 hurricanes, 178-86 mid-bay, 6 Patuxent River, 6-7 salinity and temperature atlas, 6 shad fishery, 200 tides, 178 Chester River, 21-8 Chilomycterus schoepfi, 212 Chincoteague Bay, 58-9, 197, 201, 203 description, 197 freshwater inflow data, 51-3 oyster-reef plantings to attract fish, 58-65 physical dimensions, 48 salinity observations, 48, 213 salt balance, 48-57 Southern drill in, 213 Chlamydomonas, 196 Chlorella, 196 Chloroscombrus chrysurus, 115 Christian, J. J. (with V. Flyger and D. E. Davis), Factors in the mass mortality of a herd of sika deer, Cervus nippon, 79-95 Cirrhosis, deer, 84, 88, 89, 93 Clam, hard-shelled, 168, 214 Clam, soft-shelled, 12-20, 36-40, 66-8, 210 bacteriological tests, 36-40 dredging, 12-20, 37, 66 survey, Somerset County, 66-8 Clam, surf, 73 Clarke-Bumpus sampler, 157 Clasping-leaf pondweed, 114, 131, 153 Cloacal aging method, 128 Clostridium perfringens, 36-40 Clutches, black duck, 128, 133, 145, 146 Coliform bacteria, 36-40

Colinus virginianus, 152 Coluber constrictor, 152

Common crow, 148-52

Competition among deer, 89, 94 Competition among fish, 31-2 Connie, 1955 hurricane, 179 Conowingo Reservoir, 44, 46 Continental shelf, survey, 155-6 area description, 157 ecological importance, 155-6 relationship to estuaries, 156 sampling techniques, 157-8 Controllable pitch propeller, 13-20 Cooper, J. E., Another rainbow snake, Abastor erythrogram-mus, from Maryland, 203-4 Cordgrass, 130, 140, 149 Corvus brachyrhynchos, 152 Corvus ossifragus, 152 Courtship, black duck, 132, 133 Cownose ray, 211 Crab, blue, 110, 175, 196-7 megalops, 110 rearing, 196, 197 zoeae, 110, 196–7 Crab, mud, 201-3 Crab, stone, 168-77 Crabs, 5, 110, 168-77, 196-7, 201-3 Crappies, black, 46 Crappies, white, 46 Crassostrea virginica, 168 Creel census, Northeast River, 41 - 7angling pressure estimate, 41 catch per unit effort, 46 design, methods, 41-4 errors in collecting data, 44-5 fishermen count, 42 interview, 42 Northeast River, 41-2 reply card, 42 sport fish harvest, 41 Crevalle jack, 115-6 Croaker, Atlantic, 70, 74, 118, 207 Cronin, L. E., Introduction (to Journal), 1 Crow, fish, 148, 150 Crow, common, 148-52 Current patterns, Ocean, water, 165-7 anticyclonic eddy, 165 Cape Charles, 165 Cape Henry, 165 circulation, 167 coastal drift, 165 drift bottles, recovery, 165 isohaline pattern, 165 spawning grounds on, 165 surface, 167 velocity, 167 Cynoscion regalis, 70, 118, 207, 209 Cyprinus carpio, 74

Damage, hurricanes, 178
Dasyatis americana, 60, 76
Dasyatis centroura, 76-7
Dasyatis sabina, 76
Dasyatis say, 76-7
Davis, D. E. (with J. J. Christian, and V. Flyger), Factors in the mass mortality of a herd of sika deer, Cervus nippon, 79-95

Davis, D. E. (with V. D. Stotts), The black duck in the Chesa-peake Bay of Maryland: breeding behavior and biol-ogy, 127-54 Deep Creek Lake, 44, 46 Deer, barasingha, 94 Deer, sika, 79-95 Deer, white-tailed, 80, 81 Development, larval toadfish, 189-195 Diamondback terrapin, 151 Diseases, sika deer, 84-94 adrenal hypertrophy, 84, 85, 94 arteriosclerosis, 87 cirrhosis, 84, 88, 89, 93 glomerulonephritis, 85, 87-9, 91, 93 - 4hepatitis, 84, 88-9, 91, 94 ischemia, 85 juxamedullary congestion, 87 necrosis, 89 nephrosis, 89 pycnosis, 84, 93 Distichlis spicata, 153 Dogfish, smooth, 124 Dovel, W., Larval development of the oyster toadfish, Opsanus tau, 187-95 Dredge, 37, 66 hydraulic elam, 12-20, Dredge, hydraulic, clam, controllable pitch propeller on, 12-20 Dredging, 12-20, 37, 66 hardshell clam, 214 hydraulic, 12-20, 37, 66 soft-shelled clam, 12-20, 37, 66 Drift bottles, 165 Drift, coastal, 165 Drill, oyster, 197, 199, 213 Drill, southern, 213 Drum Point Harbor, 7 wind and tidal action, 7 Drum, red, 207-10 Duck, black, 127-54 Duck cover, 130 Duck production, 151-2 Duck, puddle, 136-7 Duck, shoveler, 133 Dunaliella, 196 Dyes, antibiotic, 196

.

E. coli test, 39
Echeneis naucratus, 212
Eel, American, 46, 60
Eelgrass, 114, 131, 153
Egg laying data, black duck, 129
Elaphe obsoleta, 153
Elodea canadensis, 131, 153
Elser, H. J., Creel census results on the Northeast River, Maryland, 1958, 41–7
Elysia chlorotica, 114
Engraulis mordax, 106
Escherichia coli, 36–40
Esox lucius, 121
Estuary, 2–7, 21, 31, 41, 161–3
Chesapeake Bay, 2–7
continental shelf effects, 156
hydrography, 2–11

Estuary-Continued salinity, 8-10, 31, 161-3 Susquehanna flats, 30, 42 temperature, 7-8 Eulamia milberti, 204 Eupleura, 214 Euthynnus alleteratus, 211 Exchange rate, 48-57

Feeding and food, crabs, 169, 196 Feeding and food, deer, 81 Feeding and food, fish, 64-5, 70, 77, 113, 116 Filefish, orange, 212 Fin ray counts, toadfish, 194 Fin rotation, toadfish, 191 Fish, 21–35, 41–7, 58–65, 74–5, 103–9, 111–3, 115–6, 117–8, 120–2, 122–3, 123–4, 187–95, 200–1, 207–9 age and growth, 103 angling pressure, 22, 28, 41, 46, 74 - 5catch per unit effort, 46, 75 Chester River, yellow perch supply, 21 creel census, 41-7 ctenoid scales, 103 currents, effects of, 156, 207, 209 dispersal, factors affecting, 31, 34, 155-6 dominant year class, 75 effort, 22, 28, 41, 46, 74, 75 feeding and food, 64-5, 70, 77, 113, 116 fin ray counts, toadfish, 194 gillnetting, 96-102 haul seining, 74-5 homing, 34, 200 interviews, 42 involuntary movements, 207, 209 larval development, toadfish, 187-95 management in estuary, 21 mark and recapture, 22-3, 26, 200-1 marking, 22, 23, 26, 200 migration, 21-35, 200-1 movements, 23-4, 64, 200-1,207 - 9myotome count, toadfish, 194 Petersen disk tag, 22, 200 pugheadedness, 111, 112, 113 "put and take", 22 recaptures, 22, 23, 26, 200, 201 reefs, 58-65 resident, 21-35 salinity effects, 31 scale sampling, 103-9 size characteristics, 25-6, 68,

208

Fisheries, clam, 5, 12, 13

sound production, 115-6

sport harvest, 41

stocked, 21-35 tagging, 22, 60, 200 tags, 22, 60, 200

tidal effects, 207, 209 Fish crow, 148, 150

crab, 5 finfish, 5 oyster, 5 shad, 200 Fishermen canvas, 74, 200 Fishery management, 21, 34, 41, 58, 65, 96 Fishing effort, 22, 28, 41, 46, 75-5 Florida rock-shell, 213 Flounder, summer, 60, 61, 63, 118 Flyger, V. (with J. J. Christian and D. E. Davis), Factors in the mass mortality of a herd of sika deer, Cervus nippon, 79 - 95Fox, red, 148 Freezing point, water, 2 Frogs, 119

Gar, 117 Gasterosteus aculeatus, 121 Gillnetting, fish, 96-102 catch probability, 97-101 construction of, 96-7 effects on fishing effort, 96 herring, 100-1 nylon vs. linen fibers, 96-102 shad, 97-100 Glomerulonephritis, deer, 85, 87-9, 91, 93-4 Glut herring, 96-7, 100-1 Golden shiners, 46 Grackle, 128 Greenbelt Lake, 44 Green briar, 130 Green sunfish, 46 Green turtle, 116 Griffith, G. (with F. J. Schwartz and M. Castagna), Comments on the abundance and ecology of the ascidian Amaroucium constellatum in Sinepuxent and Chincoteague Bays, 197-9 Groundsel bush, 130 Growth rate, red drum, 208-9 Gulf-III High Speed Plankton Sampler, 157

Gum, 130

sour, 130

sweet, 130

Hogchoker, 118

Gymnodinium, 196

Harbor porpoise, 121 Harbor seal, 121 Hardshell clam, 168, 214 Hatching data, black duck, 144 Hatching size variation, toadfish, 189 Haul seining, 74-5 catch effort, 74-5 seine days, 74-5 striped bass, 74-5 Heron, 128 Herring, alewife, 96-7, 100-1 Herring, Atlantic thread, 210 Herring, glut, 96-7, 100-1 High Speed Plankton Sampler Gulf-III, 157 Hightide bush, 120

Homing tendency, yellow perch, 34 Honeysuckle, 130, 140, 141 Horned pondweed, 131 Hughesville Community Pond, 44, 46 Hunn, J. (with P. F. Robinson and C. G. Wilber), Organ-body weight relationships in the toadfish, Opsanus tau, 120-3 Hurricanes, Chesapeake Bay, 178-186 Annapolis, 179 Baltimore, 179 Connie, 1955, 179 damage, 178 eastern type surge, 179 inverted barometer effect, 179 predicted and actual tide differences, 178 surges, general and modified, 178 tide dependence on path, 178 western type surge, 179 Hydraulic clam dredge, 12-20, 37, 66 controllable pitch propeller, 13-20 dredging efficiency, 12 dredging rates, 15-18, 20 dredging requirements, 12-20, Hyla crucifer, 119

Homing tendency, American shad,

Hyla femoralis, 204

Ictalurus, 74 Incubation, black duck, 136, 144, 146, 147, 148 Indicator organisms, 39-40 Inscribing eggs, black duck, 129 Inshore lizardfish, 211 Interviews, fishing, 42 Intraspecific competition, 31-2, 89, 94 Isochrysis, 196 Isohalines, 8–10, 161, 165 Isotherms, 159 Iva fructescens, 153

Jack, crevalle, 115 James Island, 79 Joseph, E. B. (with W. H. Mass-mann and J. J. Norcross), Investigations of inner continental shelf waters off lower Chesapeake Bay. Part I— General introduction and hydrography, 155-167 Juncus roemerianus, 153 Juxamedullary congestion, deer,

87

Kent Island study area, black duck, 129, 130, 131 Kingfish, southern, 209

L

ì,

d

e

Laboratory, spawning, stone crab, 168, 169 Lake Waterford, 44, 46 Lagocephalus laevigatus, 212 Lagodon rhomboides, 60 Lancelet, 210 Largemouth bass, 41, 46 Lear, D. W., Stormy fermenters and coliform bacteria in the soft-shelled clam Mya arenaria and its habitat, 36-40 Leech, 119-20

Leiostomus xanthurus, 60, 74, 77, 207 Lepisosteus, 117 Limulus polyphemus, 153 Linear regression, 120, 122, 194 Liquidambar styraciflua, 153 Little tuna, 211 Lizardfish, inshore, 211 Loblolly pine, 131, 139, 142

Loch Raven, 44, 46 Locust, black, 130 Lonicera japonica, 153

Lookdown, 211

McIntosh, K. A. (with J. H. Manning), Evaluation of a method of reducing the powering requirements of soft-shell clam dredging, 12–20 Macrobdella decora, 119–20 Magothy River, 21–28, 44, 46, 201 Malaclemys terrapin, 152
Male promiscuity, black duck, 136, 137 Mallard, 131, 133, 139, 146, 153 Malnutrition, deer, 79, 89, 91, 94 - 5

Manning, J. H. (with K. A. Mc-Intosh), Evaluation of a Intosh), Evaluation of a method of reducing the powering requirements of softshelled clam dredging, 12-20

Mansueti, R., Comparison of the movements of stocked and resident yellow perch, Perca flavescens, in tributaries of Chesapeake Bay, Maryland, 21 - 35

Mansueti, R., Comments on the roughtail stingray, Dasyatis centroura, in Maryland waters,

Mansueti, R., Selection of body site for scale samples in the white perch, Roccus americanus, 103-9 Mansueti, R., An unusually large

pug-headed striped bass, Roccus saxatilis, from Chesapeake

Bay, Maryland, 111-3 Mansueti, R., Occurrence of the rough sead, Trachurus lathami, in Chesapeake Bay, Mary-

land, 117-8

Mansueti, R., Restriction of very young red drum, Sciaenops ocellata, to shallow estuarine

waters of Chesapeake Bay waters of Chesapeake Bay during late autumn, 207-10 Mansueti, R. (with M. Taylor), Sounds produced by very young crevalle jack, Caranx hippos, from the Maryland seaside, 115-6 Mansueti, R. (with D. H. Wal-lace), Notes on the soft-shell turtle (Trionyx) in Maryland waters, 71-2

waters, 71-2 Maple, 130

Mark and recapture, fish, 22, 23, 26, 200

Marking, black duck, 128, 129, 137, 138

Massmann, W. H. (with E. B. Joseph and J. J. Norcross), Investigations of inner continental shelf waters off lower Chesapeake Bay. Part I— General introduction and hydrography, 555-67

Mattaponi River, 200 Megalops, blue crab, 110 distribution, 110 Megalops, stone crab, 168-77 Menhaden, Atlantic, 60, 77, 97, 118 Menippe mercenaria, 168-77 Menticirrhus americanus, 209 Mercenaria mercenaria, 169 Micropogon undulatus, 70, 74, 118, 207 Micropterus d. dolomieui,

105-6 Micropterus s. salmoides, 41, 111 Migration, 21-35, 82, 128, 200, 206 black duck, 128 deer, 82 fish, 21-35, 200

shark, 206 Mobula, 70 Monochrysis, 196

Moonfish, Atlantic, 211
Mud crab, 201-3
Muncy, R. J., A study of the comparative efficiency tween nylon and linen gillnets, 96-102

Murphy, G. J., Availability of striped bass during summers of 1958 and 1959 as reflected in commercial haul seine catch, 74-5

Muskrat, 148 Mustelus canis, 124-5 Mya arenaria, 36-40, 66-8, 210 Myliobatis freminvillei, 210 Myotomes, toadfish, 194 Myrica spp., 153

Naiad, southern, 131 Najas quadalupensis, 153 Nannochloris, 169 Necrosis, deer, 89 Needlerush, 130, 140, 153 Nephrosis, deer, 89 Nest construction, black duck, 141, 142 Nest desertion, black duck, 133, 149

Nest destruction, black duck, 150, 151 Nest marking, black duck, 128 Nest searching, black duck, 129 Nichols, P. R., Homing tendency of American shad, Alosa sapidissima, in the York River, Virginia, 200-1 Nitzschia, 196

Nocturnal activity, deer, 82 Norcross, J. J. (with E. B. Joseph and W. H. Massmann), In-vestigations of inner continental shelf waters off lower Chesapeake Bay. Part I— General introduction and hydrography, 155-167

Northeast River, 41, 42, 44, 45, 46 Northern anchovy, 106 Northern pike, 121 Northern puffer, 60, 61, 63 Northern stargazer, 211 Nudibranch, 114-5 behavior, 114-5 movement, 114-5 Nylon vs. linen gillnet fibers, 96-

102 Nyssa sylvatica, 153

Oak, 130 Ocean, water current patterns, 165-7 Opercular tag, fish, 60 Opisthonema oglinum, 210 Opsanus tau, 60, 120-3, 187-95 Orange filefish, 212 Organ-body weight relationship, toadfish, 120 Orientation, sun-compass, in fish, 33 Orthopristis chrysopterus, 211 Oxygen, effects on fish, 113 Oyster, 5, 58-65, 168 Oyster drill, 197, 199, 213 Oyster-shell planting to attract fish, 58-65 Oyster toadfish, 187-195 Chesapeake Bay species, 188 eggs, 188 fin ray count, 194 habitat, 188 larval development, 187-195 late embryonic stage, 188-9 myotomes, 194 Patuxent River, 188 range, 188 spawning season, 188

Pacific sardine, 106, 107 Pamunkey River, 200 Panicum virgatum, 153 Panopeus herbsti, 201-3 Chesapeake Bay, 201-3 habitat, 203 Maryland occurrence, 201 measurements, 203 Patuxent River, 201

vertebrae, 194

young, 193

vitelline artery, 191

Panopeus herbsti-Continued Potomac River, 201 St. Mary's River, 201, 203 salinity range, 203 Paralichthys dentatus, 60, 70, 118 Pathology, deer, 84-94 Patuxent River, 5-7, 37, 188, 200, 201 Perca flavescens, 21-35 Perch, white, 48, 60, 71, 63, 103–9 Perch, yellow, 21–35, 46 Petersen disk, fish tag, 22, 200 Pfitzenmeyer, H. T., Supplemental survey of soft-shelled clam bottoms in tidewater Somerset County, Maryland, 66-8 Pfitzenmeyer, H. T., Notes on the nudibranch, Elysia chlorotica, from Chesapeake Bay, Maryland, 114-5 Phasianus colchicus, 153 Pheasant, ringnecked, 146 Phoca vitulina, 121 Phocaena phocaena, 121 Pickerel, chain, 46 Pigfish, 211 Pike, northern, 121 Pilot black snake, 148, 153 Pine, loblolly, 131, 139, 142, 153 Pine snake, northern, 204 Pinfish, 60, 61, 63 Pinna, 189 Pinus taeda, 153 Pinus virginiana, 153 Pipping stage, black duck, 137, 147, 148
Pituophis melanoleucus melanoleucus, 304 Plankton Sampler, Gulf-III, High Speed, 157 Platylepas hexastylos, 116 Platylepas hexastylos ichthyophila, 116 Platymonas, 196 Poison ivy, 130, 140 Pomatomus saltatrix, 60 Pompano, African, 211 Pondweed, clasping-leaf, 114, 131, 153 Pondweed, horned, 131 Population density, deer, 79-81, 88, 91, 93-4 Population density, fish, 32 Pore, A., Chesapeake Bay hurricane surges, 178-86 Poronotus triacanthus, 60 Porter, H. J. Zoeal stages of the stone crab, Menippe merce-naria Say, 168-77 Post nuptial molt, black duck, 131, 132 Potamogeton pectinatus, 153 Potamogeton perfoliatus, 114, 153 Potomac River, 46, 201 Predation ducks, 150, 151 frog eggs, 119 leech, 119

salamander eggs, 119 Pritchard, D. W., Salt balance

teague Bay, 48-57

and exchange rate for Chinco-

Prococentrum, 196 Procyon lotor, 153 Puddle duck, 136-7 Puffer, northern, 60, 61, 63 Puffer, smooth, 212 Pugheadedness fish, 111-3 striped bass, 111-3 Put and take stocking, 22 Pycnosis, deer, 84, 93

Quail, bobwhite, 146 Quercus spp., 153 Quiscalus quiscula, 152

Raccoon, 137, 148, 150 Rachycentron canadus, 77 Rainbow snake, 203-4 ecology, 203 measurements, 203-4 occurrence in Maryland, 204 Stump Neck Peninsula, occur-rence in, 204 Ray, bullnose, 210 Ray, cownose, 212 Red clover, 141 Red drum, Chesapeake Bay, 207-10 depth distribution 207-9 distribution in estuary, 208 growth, 209 seasonal restriction, 207 spawning area, 207 spawning season, 209 Red fox, 148 Rhinoptera bonasus, 211 Rhus radicans, 153 Ringnecked pheasant, 146
Robinia pseudo-acacia, 153
Robinson, P. F. (with C. G. Wilber and J. Hunn), Organ-body weight relationships in the toadfish, Opsanus tau, 120-2
Robinson, P. F. (with C. G. Wilber), The correlation of length, weight and girth in the toadfish, opsanus tau, 122-3 Roccus americanus, 60, 70, 103-9 Roccus saxaiilis, 70, 74-5, 166, 111, 211, 212 Rock-shell, Florida, 213 Rosefish, 104, 106 Rough scad, 117-8 Roughtail stingray, 76-7 Rubus, sp., 153 Runner, blue, 211 Ruppia maritima, 153 Rust, J. D. (with F. Carlson), Some observations on rearing blue crab larvae, 196-7

Sago pondweed, 131 Salamander eggs, 119 predation of, 119 Salamander, spotted, 119 Salinity, 2-11, 31, 48, 110, 111, 114, 117, 123, 161-5, 213 averages, 2

bottom range, 161, 163 Chesapeake Bay, 161-3 density readings, 8 fish, effects on, 31, 207 fluctuations, causes, 9, 11 fresh water, inflow effects, 9 interpolated values, 9 isohalines, 8-10, 161-3, 165 sharks, tolerance of, 70 stratification, 9, 161, 163 surface range, 161, 163 thermograph recordings, 3, 4, 5, 6, 7 titration, 8 vertical sampling, 2 weekly sampling, 9 wet-dry year variations, 3 Salmo salar, 106 Salmo trutta, 106 Salmon, Atlantic, 106 Salt balance, 48-57 Salt grass, 130 Salt marsh, 130 Salt meadow, 130, 136, 140, 149 Chincoteague Bay, 48-57 Samplers, 157 Clarke-Bumpus plankton, 157 Gulf-III High speed plankton, 157 Sandbar shark, 204, 206 Chesapeake Bay occurrence, 204, 206 measurements, 206 spawning grounds, 206 wintering grounds, 206 young, 205 Sardine, 106 Sardine, Pacific, 106, 107 Sardinops caerulea, 106, 107 Sardinops melanosticta, 106 Scad, big-eye, 211 Scad, rough, 117-8 Scale body, length Scale-body length relationship,

103, 105 Scale sampling, fish, 103-9 age and growth, 103 measurements, 104-8 optimal body site selection, 103-9

scale variation, 103, 105-6 Schwartz, F. J., Additional comments on adult bull sharks Carcharhinus leucas (Müller and Henle), from Chesapeake Bay, Maryland, 68-71 Schwartz, F. J., The barnacle,

Platylepas hexastylos, encrusting a green turtle Chelonia mydas mydas, from Chinco-teague Bay, Maryland, 116-7 Schwartz, F. J., An unusual winter survival of a young spadefish,

Chaetodipterus faber, 123-4 Schwartz, F. J., Comments on the smooth dogfish, Mustelus Mustelus canis, from Chesapeake Bay.

Maryland, 124-5 Schwartz, F. J., Measurements and the occurrence of young sandbar shark, Carcharhinus milberti, in Chesapeake Bay, Maryland, 204-6

Schwartz, F. J., Recent additions to the upper Chesapeake Bay

fish fauna, 210 Schwartz, F. J., (with M. Castagna, and G. Griffith), Comments on the abundance and ecology of the Ascidian Amaroucium constellatum in Sinepuxent an Bays, 197-9 Chincoteague and

Schwartz, F. J. (with D. G. Cargo), Recent records of the xanthid crab, Panopeus herbsti, from Maryland and Vir-

ginia waters, 201-3

Sciaenops ocellata, 207-10 Scrub pine, 130 Sea lettuce, 131 Seal, harbor, 121 Sebastes marinus, 104 Selar crumenophthalmus, 211 Selene vomer, 115, 211 Seriola zonata, 115 Severn River, 21-8 Sex identification, black duck, 128

Shad, American, 46, 96-101, 200-1 angling for, 46 Chesapeake Bay fishing, 200 homing tendencies, 200 netting for, 97-9 Pamunkey River, 200 Petersen disk, 200 recaptures, 200, 201 spawning grounds, 200, 201

York River population, 201 Sharks, 68-71, 124, 212 Atlantic angel, 210 attacks on fishermen, 69 bull shark, 68–71, 212 Chesapeake Bay, 68–71, 204, 206 gonad condition, 69, 70 measurements, 68, 69, 124 newborn, 206

salinity tolerance, 70 sandbar, 204, 205 smooth dogfish, 124 stomach contents, 70 Shark sucker, 212

Shiners, golden, 46

Shoveler ducks, 133
Sieling, F. W., Mass mortality of
the starfish, Asterias forbesi,

on the Atlantic coast of Maryland, 73-4 Sieling, F. W., A notable range extension of the Southern drill, Thais haemastoma floridana, into Chincoteague Bay, 212-4

Sika deer, 79-95 adrenal glands, 83-4 age determination, 80 diet, 81 diseases, 84-94 food, 81

growth indicator, 83, 93 intraspecific competition, 89, 94 James Island stock, 79-95 kidneys, 84–8 kills, 80

liver, 88-9

malnutrition, 79, 89, 91, 94-5 migration, 82 mortality factors, 79-82, 88-9, 91.93-4

nocturnal activity, 82 organs, 83-9 pathology, 84-94

population density, 79-81, 88, 91. 93-4 tissue fixing, staining, 80 Sinepuxent River, 48, 197 Siren lacertina, 204

Smallmouth bass, 46, 72, 105-6 Smilax spp., 153 Smithville Pond, 46 Smooth dogfish, 124 Smooth puffer, 212 Snake, black racer, 148, 152 Snake, pilot black, 148, 153 Snake, pine, 204

Snake, rainbow, 203-4 Soft-shelled clam, 12-20, 36-40, 66-8, 210

bacteriological examination, 36-40

brood stock, 66 coliform bacteria in, 36-40 dredging, 12-20, 37, 66 E. coli test, 39 fishery, 12, 13 indicator organisms, 39, 40 population level of, 37, 38 predation on, 66 productive potential, 66 sampling, 37 seasonal changes in bacterial

count in, 40 Somerset survey, 66-8 sporeformers and canned prod-

ucts, 40 stormy fermenters in, 36-40 subtidal stocks, 12 unfavorable conditions, effects of, 66

Soft-shell turtle, 71-2 Sound production, fish, 115-6 carangid fishes, 115 crevalle jack, 115-6 stridulatory, 116 villiform teeth in, 116

Sourgum, 130 Southern drill, 212-4 Southern kingfish, 209 Southern naiad, 131

Southern stingray, 60, 76 Spadefish, 123-4 Spartina alterniflora, 153 Spartina patens, 153 Spatula clypeata, 153 Sphaeroides maculatus, 60

Spisula solidissima, 73 Sport fish harvest, 41 Spot, 46, 60, 61, 63, 74–5, 77, 207 Spotfin butterflyfish, 60 Spotted salamander, 119

Spring peeper, 119 Squatina dumerili, 210 Starfish, 73-4 depth indicators, 73

mortality, Ocean City, 73-4 sizes, 73 wind effects on, 73

Stargazer, northern, 212 Steakfish, 125 Stickleback, threespine, 121 Stingray, roughtail, 76-7 description of developing ova,

measurements, 76, 77 stomach contents, 77 Stingray, southern, 60, 76

Stocking, fish, 21-35 Stomach contents, fish, 64-5, 70, 77, 113, 116 Stone crab, rearing, 168, 177

food preference, 169 habitat, 168 larval stage variation, 175 measurements, 168 megalops, 169 mortalities, 169 pre-zoea, 169, 172 zoeal stages, 169-77

Stormy fermenters, 36-40 Stotts, V. D. (with D. E. Davis), The black duck in the Chesa-peake Bay of Maryland: breeding behavior and biology, 127-54

Stratification, salinity, 9, 161, 163 Striped bass, 46, 70, 74–5, 106, 111–113, 211, 212 Striped burrfish, 212 Sucker, shark, 212

Suckers, white, 46 Summer flounder, 60, 61, 63, 118 Sun-compass orientation in fishes,

33 Sunfish, green, 46 Surf clam, 73 Surges, hurricane, 178-186 Survival, winter, spadefish, 123-4 Susquehanna flats, 30, 42 Susquehanna River, 9, 24 Sweetgum, 13 Synodus foetens, 211

Tagging, fish, 22, 60, 200-1 reward, 22 Tarpon, 123 Tautog, 60

Tautoga onitis, 60 Taylor, M. (with R. J. Mansueti), Sounds produced by very young crevalle jack, Caranx hippos, from the Maryland seaside, 115-6

Teal, blue-winged, 133 2-11, 110, Temperature, water, 2 114, 117, 123, 158-61 Atlantic Ocean, 158-61

bottom, 159 calculations and corrections, 7 Cape Henry, 159 cycles, significance, 9, 10 daily, 2-11 daily range, 7

effect on southern drill, 214 effect on spawning time, 9 effect on spadefish, 123 homogeneity, vertical, 159 isotherms, 159

ocean, 158-61

Temperature-Continued seasonal differences, 8 surface, 2-11, 158 surface freezing point, 2 thermograph, 3, 4, 6 variance, 2 vernal warming, 159 water-air relationships, 8 weekly sampling, surface and bottom, 8 wind effects on, 8 Terrapin, diamondback, 151 Territorial behavior, black duck, 133, 134, 135 Thais haemastoma floridana, 213 Thalassochelys caretta, 116 Thermograph recordings, 2, 7 Thermometer, mercury Thread herring, Atlantic, 210 Threespine stickleback, 121 Tissue fixing, staining, deer, 80 Titrations, salinity, 8 Toadfish, 60, 61, 63, 120-3, 187-95 body weight, length, girth relationship, 122-3 linear regressions, 120, 122 organ-body weight, 120 Toadfish, oyster, 187-95 eggs, 188 growth rate, 188-95 larvae, 187-95 larval activity, 191 linear regression, 194 meristic numbers, 193 yolk-sac absorption, 190-3 Trachinotus carolinus, 115 Trachinotus glaucus, 115 Trachinotus palometa, 115 Trachurus lathami, 117 Trachurus trachurus, 117 Traps, wire, 59, 60, 129, 137, 212 drill, 212 ducks, 129, 137 fish, 59, 60

Trionychidae, 71
Trionyx, 71-2
Trionyx, 71-2
Trionyx ferox ferox, 71
Trionyx ferox spinifera, 71-2
Trout, brown, 106
Trumpet vine, 130
Tuna, little, 211
Turtle, green, 116
barnacle association, 116
distribution, 116
Turtle, soft-shell, 71, 72
in brackish water, 71
stocking in Potomac, 72
transplanted specimen, 72

U

Ulva lactuca, 153 Urosalpinx cinerea, 199, 213

V

Vomer setapinnis, 115, 211

W

Wallace, D. H. (with R. Mansueti), Notes on the soft-shell turtle (Trionyx) in Maryland waters, 71-2
Walleyes, 46
Water-air temperature relationship, 8
Water current patterns, ocean, 165-7
Wax myrtle, 130
Weakfish, 118, 207, 209
White catfish, 46
White crappies, 46
White perch, 46, 60, 103-8
White sucker, 46
White-tailed deer, 80, 81
Widgeongrass, 131
Wilber, C. G. (with P. F. Robinson and J. Hunn), Organ-body

weight relationships in the toadfish, Opsanus tau, 120-2 Wilber, C. G. (with P. F. Robinson), The correlation of length, weight and girth in the toadfish, Opsanus tau, 122-3

X

Xanthid crab, 201-3 habitat, 203 Maryland occurrence, 201 measurements, 203 Patuxent River, 201 Potomac River, 201 salinity range, 203 St. Mary's River, 201, 203

3

Yellow bullhead, 46
Yellow perch, 21–35, 46
angling pressure, 22, 46
Chester River supply, 21
competition, 31–2
homing tendency, 34
management in estuary, 21
migration, 21–35
orientation, 33
planting adults, 22
put and take stocking, 22
recaptures, 26–31
resident, 21–35
stocked, 21–35
York River, 200

Z

Zannichellia palustris, 153 Zoeae, blue crab, 110, 196-7 Zoeae, stone crab, 168-77 Zostera marina, 114, 153

CHESAPEAKE SCIENCE

A REGIONAL JOURNAL OF RESEARCH AND PROGRESS ON NATURAL RESOURCES

Volume I, 1960
ROMEO J. MANSUETI
Managing Editor

Published By

State of Maryland
Department of Research and Education
Chesapeake Biological Laboratory
Solomons, Maryland
L. E. Cronin, Director

Table of Contents

Number 1, April, 1960

Cronin, L. Eugene. Introduction	1
mons, Maryland Manning, J. H., and Kennison A. McIntosh. Evaluation of a method of	2
reducing the powering requirements of soft-shelled clam dredging Mansueti, Romeo. Comparison of the movements of stocked and resident	12
yellow perch, Perca flavescens, in tributaries of Chesapeake Bay, Maryland	21
LEAR, DONALD W. Stormy fermenters and coliform bacteria in the soft-	26
shelled clam Mya arenaria and its habitat	36 41
PRITCHARD, D. W. Salt balance and exchange rate for Chincoteague Bay ARVE, JOHN. Preliminary report on attracting fish by oyster-shell plant-	48
ings in Chincoteague Bay, Maryland	58
Notes and Comments	
PFITZENMEYER, H. T. Supplemental survey of soft-shelled clam bottoms	
in tidewater Somerset County, Maryland	66
rhinus leucas (Müller and Henle), from Chesapeake Bay, Maryland Mansueti, Romeo, and David H. Wallace. Notes on the soft-shell turtle	68
(Trionyx) in Maryland waters Sieling, Fred W. Mass mortality of the starfish, Asterias forbesi, on	71
the Atlantic Coast of Maryland	73
and 1959 as reflected in commercial haul seine catch	74
centroura, in Maryland waters	76
Number 2, June, 1960	
CHRISTIAN, JOHN J., VAGN FLYGER, AND DAVID E. DAVIS. Factors in the	
mass mortality of a herd of sika deer, Cervus nippon	79
Muncy, Robert J. A study of the comparative efficiency between nylon	
and linen gillnets	96
perch, Roccus americanus	103
Notes and Comments	
CARGO, DAVID G. A megalops of the blue crab, Callinectes sapidus,	
in the Patuxent River, Maryland	
saxatilis, from Chesapeake Bay, Maryland	

PFITZENMEYER, HAYES T. Notes on the nudibranch, Elysia chlorotica,	114
from Chesapeake Bay, Maryland	114
	115
Schwartz, Frank J. The barnacle, <i>Platylepas hexastylos</i> , encrusting a green turtle, <i>Chelonia mydas mydas</i> , from Chincoteague Bay, Mary-	110
Mansueti, Romeo J. Occurrence of the rough sead, Trachurus lathami,	116
in Chesapeake Bay, Maryland Cargo, David G. Predation of eggs of the spotted salamander, Ambystoma maculatum, by the leech, Macrobdella decora	117
Robinson, Paul F., Charles G. Wilber and Joseph Hunn. Organ- body weight relationships in the toadfish, Opsanus tau	
WILBER, CHARLES G. AND PAUL F. ROBINSON. The correlation of length,	
weight and girth in the toadfish, Opsanus tau Schwartz, Frank J. An unusual winter survival of a young spadefish,	
Chaetodipterus faber	
from Chesapeake Bay, Maryland	124
Numbers 3-4, December, 1960	
STOTTS, VERNON D. AND DAVID E. DAVIS. The black duck in the Chesa-	
peake Bay of Maryland: breeding behavior and biology Joseph, Edwin B., William H. Massmann, and John J. Norcross. Investigations of inner continental shelf waters off lower Chesapeake	
Bay. Part I—General introduction and hydrography	
PORTER, HUGH J. Zoeal stages of the stone crab, Menippe mercenaria Say. PORE, ARTHUR. Chesapeake Bay hurricane surges	
Dovel, William. Larval development of the oyster toadfish, Opsanus	
tau	187
Notes and Comments	
Rust, John D. and Frank Carlson. Some observations on rearing blue	
Schwartz, Frank J., Michael Castagna, and George Griffith. Comments on the abundance and ecology of the ascidian Amaroucium con-	
Stellatum in Sinepuxent and Chincoteague Bays Nichols, Paul R. Homing tendency of American shad, Alosa sapidis-	
sima, in the York River, Virginia Schwartz, Frank J. and David G. Cargo. Recent records of the xanthid crab, Panopeus herbsti, from Maryland and Virginia waters	
COOPER, JOHN E. Another rainbow snake, Abastor erythrogrammus, from Maryland	
Schwartz, Frank J. Measurements and the occurrence of young sand- bar shark, Carcharhinus milberti, in Chesapeake Bay, Maryland	
Mansueti, Romeo J. Restriction of very young red drum, Sciaenops ocellata, to shallow estuarine waters of Chesapeake Bay during late	
autumn	207

TABLE OF CONTENTS

Schwartz, F. J. Recent additions to the upper Chesapeake Bay fish	
fauna	210
Sieling, F. W. A notable range extension of the southern drill, Thais	
haemastoma floridana, into Chincoteague Bay	212
Index	216

•

